



**State of Louisiana
Department of Natural Resources
Coastal Restoration Division**

Monitoring Plan

for

West Belle Pass Headland Restoration

State Project Number TE-23
Priority Project List 2

August 2003
Lafourche Parish

Prepared by:

Glen Curole, Monitoring Section (CRD)
LDNR/Coastal Restoration and Management

MONITORING PLAN

PROJECT NO. TE-23 WEST BELLE PASS HEADLAND RESTORATION

ORIGINAL DATE: April 22, 1996

REVISED DATES: July 23, 1998, August 14, 2003

Preface

Pursuant to a CWPPRA Task Force decision on April 14, 1998, the original monitoring plan was reduced in scope due to budgetary constraints. Specifically, the goal to decrease water level variability was dropped, and water level monitoring and analysis were omitted. One additional pre-construction flight was added.

Pursuant to a CWPPRA Task Force decision on August 14, 2003 to adopt the Coastwide Reference Monitoring System (CRMS-*Wetlands*) for CWPPRA, updates were made to this Monitoring Plan to merge it with CRMS to provide more useful information for modeling efforts and future project planning while maintaining the monitoring mandates of the Breaux Act. The implementation plan included review of monitoring efforts on currently constructed projects for opportunities to 1) determine if current monitoring stations could be replaced by CRMS stations, 2) determine if monitoring could be reduced to evaluate only the primary objectives of each project and 3) determine whether monitoring should be reduced or stopped because project success had been demonstrated or unresolved issues compromised our ability to actually evaluate project effectiveness. As a result of a joint meeting with DNR, USGS, and the federal sponsor, the recommendations for this Monitoring Plan were to eliminate the 2017 habitat mapping, eliminating further shoreline monitoring (since there was a problem with the baseline data) and utilize the satellite imagery collected through CRMS to evaluate changes in land and water areas within the project area. In addition, there are 4 Chabreck and Linscombe points within the project area that will be used to track changes in vegetation over time. These recommendations have been incorporated into the Monitoring Elements section.

Project Description

The West Belle Pass Headland Restoration project is located in Lafourche Parish, Louisiana at latitude 29° 06' 30" and longitude 90° 14' 00", encompassing an area of 2,459 ac (995 ha) of coastal wetlands located adjacent to Port Fourchon. The project is bordered by Timbalier Bay on the west, Bayou Lafourche and Belle Pass to the east, and the Gulf of Mexico to the south (figure 1). The habitat type of the project is a combination of salt marsh and black mangrove wetlands. The salt marsh communities are dominated by *Spartina alterniflora* (smooth cordgrass), with a mixture of *Distichlis spicata* (salt grass), and *Spartina patens* (marshhay cordgrass). Natural and dredged channels throughout the project area are fringed by *Avicennia germinans* (black mangrove).

Historically, Bayou Lafourche, a major distributary of the Mississippi River, carried approximately 12% of the Mississippi River discharge until it was closed at Donaldsonville in 1904 as a flood protection measure (Reed 1995). There was no input of Mississippi River water into Bayou




Figure 1. West Belle Pass Headland Restoration (TE-23) project area and reference area.

Lafourche until 1955. At this time, pumps were installed at Donaldsonville, maintaining a flow of $260 \text{ ft}^3 \text{ s}^{-1}$ (7.36 cms) (van Heerden 1994). As Bayou Lafourche reaches the Gulf of Mexico, it splits into two passes, Pass Fourchon, to the east, and Belle Pass, to the west. In 1939, jetties were constructed at the mouth of Belle Pass in accordance with the River and Harbor Act of 1935. The River and Harbor Act of 1960 provided for the restoration and extension of the jetties and dredging of the pass to a channel depth of 12 ft (3.7 m). However, a deeper channel was needed to satisfy the local interests. The Greater Lafourche Port Commission obtained a permit from the U.S. Army Corps of Engineers to dredge a channel 20 ft (6.1 m) deep and 300 ft (91.4 m) wide. The work was completed in 1968. The extension and restoration of the 1939 jetties have accelerated beach erosion to the west (Williams et al. 1992).

Marshes in the project area have experienced an average relative sea level rise rate of 0.41 in yr^{-1} (1.04 cm yr^{-1}) (Penland and Ramsey 1990) and a wetland loss rate of $0.31 \text{ mi}^2 \text{ yr}^{-1}$ ($0.8 \text{ km}^2 \text{ yr}^{-1}$) (Dunbar et al. 1992). Local subsidence has caused a rim effect along pipeline canals, creating an impoundment of the interior marshes which has resulted in deterioration and loss of the vegetated wetlands (Penland et al. 1989). Changes to the Bayou Lafourche shoreline have occurred from wave erosion due to boat traffic and tidal action. Wave action from boating traffic is severely eroding the bank along the western side of Bayou Lafourche. The shoreline erosion rate for the western side of the Belle Pass channel from 1983 to 1985 was approximately 20 ft yr^{-1} (6.1 m yr^{-1}) (Wicker et al. 1989). The average gulfside rate of change for the project and reference areas was 91.2 ft yr^{-1} (27.8 m yr^{-1}) for the period of 1887-1988 (Williams et al. 1992).

Timbalier Bay and Bayou Lafourche are hydrologically connected through Evans Canal and two pipeline canals within the northern portion of the project (see figure 1). Timbalier Bay has been encroaching on Bayou Lafourche through the marshes to the west. These openings in the marsh are expected to enlarge and accelerate the rates of erosion within the project area (Falgout 1992).

The West Belle Pass Headland Restoration project is designed to reduce the encroachment of Timbalier Bay into the marshes on the west side of Bayou Lafourche and Belle Pass. With the use of dredge materials, subaerial land will be created by filling in pipeline canals and open water areas. Additionally, old dams will be refurbished and new dams constructed along the dredged canals to allow stabilization of created and existing marsh. The project will also reduce shoreline retreat along the west bank of Bayou Lafourche and Belle Pass.

The project features (see figure 2) include:

1. The use of 2,700,000 cubic yards (2.06 million m^3) of dredged material from Bayou Lafourche to build 184 acres of subaerial land on the west side of Belle Pass.
2. Partial blockage of the Evans Canal using rock, and the construction of plugs on other designated dredged canals.
3. Existing plugs along pipeline canals will be refurbished.




Figure 2. West Belle Pass Headland Restoration (TE-23) project area and features.

4. Rubble mound rip rap will be placed on the west side of Belle Pass and Bayou Lafourche from the jetty north 17,000 ft (5,182 m).

Project Objectives

1. Reduce the encroachment of Timbalier Bay into the marshes on the west side of Bayou Lafourche and Belle Pass by creating 184 ac (74.5 ha) of wetlands.
2. Prevent further shoreline retreat along the west bank of Belle Pass and Bayou Lafourche using rip rap.

Specific Goals

The following goals will contribute to the evaluation of the above objectives:

1. Create approximately 184 ac (74.5 ha) of marsh on the west side of Belle Pass through infilling of designated canals and shallow water bodies.
2. Increase the marsh to open water ratio.
3. Decrease the rate of shoreline retreat along the west bank of Belle Pass and Bayou Lafourche.

Reference Area

A reference area was chosen to compare the changes in marsh-to-open water ratios between the newly created and restored marsh to a marsh that mimics the preconstruction characteristics of the project area. The evaluation of possible reference areas was based on aerial photography and site investigations. Reference areas were ranked on the basis of their proximity to the project, plant communities, and soil types. The area west of Belle Pass, bordered by Timbalier Bay to the west, the Gulf of Mexico to the South, and the project area to the east was chosen as the reference area (figure 1). This area was chosen because it has similar vegetation and soils as the project. The reference area is dominated by *S. alterniflora* and possesses a similar mixture of other plant species found in the project. Although the reference area has many similarities to the project site, we recognize that interpretation of reference data can be limited or confounded by natural and anthropogenic processes.

No appropriate reference area could be located for the shoreline protection aspect of the project. The opposite shoreline of Bayou Lafourche has been historically used for depositing dredged material removed from Bayou Lafourche. The shoreline of Bayou Lafourche north of the project area does not receive the same level of boat traffic and associated influences found in the project area. It is felt that since the rip rap is to be placed directly on the shoreline, measurements of shoreline retreat from the rip rap will provide a measurement of the effectiveness of this aspect of the project.

CRMS will provide a pool of reference sites within the same basin and across the coast to evaluate project effects. At a minimum, every project will benefit from basin-level satellite imagery and land:water analysis every 3 years, and supplemental vegetation data collected through the periodic Chabreck and Linscombe surveys. Other CRMS parameters which may serve as reference include Surface Elevation Table (SET) data, accretion (measured with feldspar), hourly water level and salinity, and vegetation sampling. A number of CRMS stations are available for each habitat type within each hydrologic basin to supplement project-specific reference area limitations.

Monitoring Elements

The following monitoring elements will provide the information necessary to evaluate the specific goals listed above:

1. **Habitat Mapping** To document vegetated and non-vegetated areas, color infrared aerial photography (1:12000 scale with ground control markers) will be obtained. The photography will be photointerpreted, scanned, mosaicked, georectified,, and analyzed by National Wetlands Research Center (NWRC) personnel according to the standard operating procedure described in Steyer et al. (1995). The photography will be obtained in 1994 and 1997 (pre-construction), and post-construction in 2006.

Based on the CRMS review, the habitat mapping originally scheduled for 2017 was eliminated. This project area is periodically photographed by the BUMP program funded by the USACE. Photography collected through this program will be used, when available, to assist in evaluating this project. In addition, CRMS satellite imagery will be classified into land and water areas for the entire Terrebonne basin, and this project area will be subsampled from this imagery to track changes in land and water areas over time.

2. **Shoreline Change** To evaluate marsh edge movement from the rip rap shoreline protection structure, aerial photography (1:12,000 scale) and GPS will be used to document marsh position along the west banks of Bayou Lafourche and Belle Pass. This information will provide a template for mapping shoreline position and shoreline changes over time. Several discrete stations will be established within the project area along the 17,000 ft (5,182 m) rock riprap shoreline protection structure. Points will be established on the actual structure as well as on the marsh edge adjacent to and behind the structure at maximum intervals of 500 ft (152 m) (35 points). In conjunction with the discrete readings, a continuous GPS reading will be taken for the entire shoreline protection structure. Additionally, historical rates (as meters per year loss) of erosion will be obtained (U.S. Army Corps of Engineers 1991) and compared to erosion rates after project implementation. GPS will be taken in 1998 (as-built) and in 2001 post-construction.

Based on the CRMS review and an error in the baseline shoreline position data, the 2006, 2012, and 2017 shoreline position measurements were eliminated. Changes in shoreline position will be documented from future BUMP photography and from satellite imagery collected by CRMS-*Wetlands*.

Anticipated Statistical Analyses and Hypotheses

The following hypotheses correspond with the monitoring elements and will be used to evaluate the accomplishment of the project goals.

1. Descriptive and summary statistics on historical data (1956, 1978, 1988) and data from aerial photography and GIS interpretation collected during post-project implementation will be used to evaluate marsh to open water ratios and marsh loss rates for the natural marsh areas (not areas affected by introduction of dredged material). Data from aerial photography and GIS interpretation collected during post-project implementation will be used to evaluate the 184 acres of marsh created from dredged material. If sufficient historical information is available, regression analyses will be done to examine changes in slope between pre- and post-conditions.

Goal: Create approximately 184 ac (74.5 ha) of marsh and increase the marsh to open water ratio.

Hypothesis A:

H_0 : After project implementation at time point i , marsh to water ratios will not be significantly greater than at time point $i-1$.

H_a : After project implementation at time point i , marsh to water ratios will be significantly greater than at time point $i-1$.

If we fail to reject the null hypothesis, any possible negative effects will be investigated.

Hypothesis B:

H_0 : After project implementation at time point i , the percent of marsh loss in the project area will not be significantly less than the percent of marsh loss in the reference area.

H_a : After project implementation at time point i , the percent of marsh loss in the project area will be significantly less than the percent of marsh loss in the reference area.

If we fail to reject the null hypothesis, any possible negative effects will be investigated.

2. ANOVA's and multiple comparisons tests will be used to compare measured rates of shoreline movement with recent historical values for the area (from direct measurements of shoreline position relative to digitized coastal zone maps for 1956, 1978, and 1988). After several sets of data are acquired, ANOVA's will be used to compare site-specific shoreline movement within the project area.

Goal: Decrease the rate of shoreline retreat along the west bank of Belle Pass and Bayou Lafourche.

Hypothesis:

H₀: After project implementation at time point i, shoreline erosion rate will not be significantly less than at time point i-1.

H_a: After project implementation at time point i, shoreline erosion rate will be significantly less than at time point i-1.

Ecological effects will be evaluated in concert with statistical analyses to determine overall project success. If we fail to reject the null hypothesis, any possible negative effects will be investigated.

Notes:

1. Implementation: Start Construction: December 1, 1997
End Construction: March 30, 1998
2. COE Point of Contact Elizabeth Behrens (504) 862-2025
3. DNR Project Manager: Hilary Thibodaux (985) 449-5105
DNR Monitoring Manager: Glen Curole (985) 449-0995
4. The twenty year monitoring plan development and implementation budget for this project is \$163,974. Pursuant to the CRMS review, it was authorized by the Task Force to maintain \$130,971 with the project, and utilize \$33,003 to support CRMS. Periodic comprehensive reports on coastal restoration efforts in the Terrebonne hydrologic basin will describe the status and effectiveness of the project as well as cumulative effects of restoration projects in the basin.
5. 1:12,000 color infrared aerial photography was flown in the fall of 1994.
6. A field investigation was undertaken in September 1994 by the previous Monitoring Manager and again in July of 1995 by the current Monitoring Manager to document vegetation.

7. References:

- Barras, J. A., P. E. Bourgeois, and L. R. Handley 1994. Land loss in coastal Louisiana 1956-90. National Biological Survey, National Wetlands Research Center Open File Report 94-01. 4 pp. 10 color plates.
- Dunbar, J. B., L. D. Britsch, and E. B. Kemp 1992. Land loss rates. Report 3: Louisiana Coastal Plain. Technical Report GL-90-2. New Orleans, Louisiana: U.S. Army Corps of Engineers.
- Falgout, T. 1992. PTE-27 West Belle Pass. Unpublished report for the Coastal Wetlands Planning, Protection, and Restoration Act. Galliano, La: Greater Lafourche Port Commission.
- Penland, S., K. E. Ramsey, R. A. McBride, T. F. Moslow, and K. A. Westphal 1989. Relative sea level rise and subsidence in Louisiana and the Gulf of Mexico. Coastal Geology Tech. Rep. No. 3, Louisiana Geological Survey, Baton Rouge. 65 pp.
- Penland, S., and K. E. Ramsey 1990. Relative sea-level rise in Louisiana and the Gulf of Mexico: 1908-1988. *Journal of Coastal Research*, 6(2), 323-342.
- Reed, D. 1995. Current status and historical trends of hydrologic modification, reduction in sediment availability and habitat loss/modification in the Barataria and Terrebonne estuarine systems. Baton Rouge: Barataria-Terrebonne National Estuary Program. 330 pp.
- Steyer, G.D., R. C. Raynie, D. L. Steller, D. Fuller, and E. Swenson 1995. Quality management plan for Coastal Wetland Planning, Protection, and Restoration Act monitoring program. Open-file report 95-01. Baton Rouge: Louisiana Department of Natural Resources, Coastal Restoration Division.
- van Heerden, I. 1994. A long term, comprehensive management plan for Coastal Louisiana to ensure sustainable biological productivity economic growth, and the continued existence of its unique culture and heritage. Natural Systems Management and Engineering Program Center for Coastal, Energy, and Environmental Resources. Louisiana State University, Baton Rouge.
- Wicker, K. M., R. E. Emmer, D. R. Roberts, and J. van Beek 1989. Pipelines, navigation channels, and facilities in sensitive coastal habitats, An analysis of outer continental shelf impacts, coastal Gulf of Mexico. Vol. 1: technical narrative. OCS Report/MMS 89-0051. U.S. Dept. of Interior Minerals Management Service, Gulf of Mexico OCS Regional Office, New Orleans, LA. 470 pp.

Williams, S. J., S. Penland, and A. H. Sallenger, Jr. 1992. An introduction to coastal erosion and wetlands loss research. *In* Louisiana barrier island erosion study atlas of shoreline changes in Louisiana from 1853 to 1989. Prepared through a cooperative agreement between the USGS and LGS.

TE23mp2003-08-14.wpd